

April 19 (Fri)

Session ID		Name	Affiliation	Title
ICW13 Basic 1 8:40-9:40 Room 8	Chair	Kazushi Izawa	Department of Pediatrics, Kyoto University Graduate School of Medicine, Kyoto, Japan	
	Chair	Adam P. Croft	Rheumatology Research Group, University of Birmingham, Birmingham, UK	
	ICW13-1	Jinyi Ren	Dalian Medical University, China	Dynamin-Related Protein 1 Binding Partners MiD49 and MiD51 promote atherosclerosis by increasing the mitochondrial fission, adhesion and proliferation of vascular endothelial cells
	ICW13-2	Yang Ma	Dalian Medical University, Dalian, China	Inflammatory glycoprotein 130 antagonist reduces atherosclerotic plaque formation by reducing mitochondrial division
	ICW13-3	Kazuma Ino	Department of Rheumatology and Infectious Diseases, Kitasato University School of Medicine	Different osteoclasts differentiation during the inflammatory process
	ICW13-4	Takayuki Shibahara	Department of Respiratory Medicine and Clinical Immunology, Graduate School of Medicine, Osaka University, Suita, Japan	5,6-dimethylxanthone-4-acetic acid (DMXAA), a Partial STING Agonist, Competes for Human STING Activation
	ICW13-5	Yoshihiro Oya	Laboratory of Autoimmune Diseases, Department of Clinical Research, National Hospital Organization Chibahigashi National Hospital, Chiba, JAPAN	Phenotypic plasticity in suppressive function of dendritic cells mediated by Treg cells
ICW13-6	Yoshihiko Tomofuji	Department of Genome Informatics, Graduate School of Medicine, The University of Tokyo	Quantification of the escape from X chromosome inactivation with the million cell-scale human blood single-cell RNA-seq datasets reveals heterogeneity of escape across immune cells	
ICW14 Connective tissue diseases 9:50-10:50 Room 8	Chair	Yukiko Iwasaki	Department of Palliative Medicine, Faculty of Medicine, Saitama Medical University	
	Chair	Iain B. McInnes	College of Medical, Veterinary & Life Sciences (MVLS), University of Glasgow, Glasgow, United Kingdom	
	ICW14-1	Yotaro Oki	Department of Rheumatology, Endocrinology and Nephrology, Faculty of Medicine and Graduate School of Medicine, Hokkaido University, Japan	Prognostication of patients with interstitial lung disease associated with systemic sclerosis using quantitative computed tomography
	ICW14-2	Anna-maria Hoffmann-vold	Oslo University Hospital, Oslo, Norway	Study design of the FIBRONEER-ILD trial of BI 1015550 in patients with progressive pulmonary fibrosis and a comparison with the INBUILD trial of nintedanib
	ICW14-3	Sho Ishigaki	Division of Rheumatology, Department of Internal Medicine, Keio University School of Medicine	Predictive factors for pulmonary hypertension in patients with rheumatic and musculoskeletal disease.
	ICW14-4	Kazuro Kamada	Department of Rheumatology, Endocrinology and Nephrology, Faculty of Medicine and Graduate School of Medicine, Hokkaido University, Japan	Risk factors for mortality in connective tissue disease-associated thrombotic microangiopathy
ICW14-5	Tsuneo Sasai	Department of Rheumatology and Clinical Immunology, Kyoto University Graduate School of Medicine, Kyoto, Japan	Anti-Interferon gamma inducible protein 16: Identification of a novel autoantibody of idiopathic interstitial pneumonias and its clinical characteristics from multi center cohort study	
ICW15 Autoinflammatory diseases 8:40-9:40 Room 9	Chair	Yohei Kirino	Department of Stem Cell and Immune Regulation, Yokohama City University Graduate School of Medicine	
	Chair	Tomohiro Koga	Department of Immunology and Rheumatology, Division of Advanced Preventive Medical Sciences, Nagasaki University Graduate School of Biomedical Sciences, Nagasaki, Japan	
	ICW15-1	Kazuya Abe	Department of Allergy and Clinical Immunology, Chiba University	Genetic tests including asymptomatic family members are useful to speculate the pathogenicity of variants: A patient with familial Mediterranean fever harboring two MEFV variants and a novel NLRP12 variant.
	ICW15-2	Janis Timsans	Päijät-Häme Central Hospital, Lahti, Finland	Hyperuricemia is associated with higher levels of fasting plasma glucose and insulin resistance in non-diabetic subjects
	ICW15-3	Ling Cao	Division of Rheumatology, Huashan Hospital, Fudan University, Shanghai, China	Tyrosine phosphatase SHP2 regulates macrophage polarization and participates in the mechanism of gouty arthritis
	ICW15-4	Yuki Iizuka	Department of Rheumatology, Yokohama City University Hospital, Kanagawa, Japan	Pregnancy outcomes and perinatal disease activity in Behçet's disease patients at two Yokohama City University related centers.
	ICW15-5	Yanakawee Siripongvutikorn	Department of Rheumatology, National Hospital Organization Osaka Minami Medical Center	Atypical pruritic rash as a prognostic factor in adult Still's disease - a single center retrospective study
ICW15-6	Ikuo Takazawa	Department of Allergy and Rheumatology, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan	Shared immunological signature of Adult-onset Still's disease and other autoinflammatory diseases unveiled by transcriptome analysis	
ICW16 Comorbidities 9:50-10:50 Room 9	Chair	Yuya Kondo	Department of Internal Medicine, Faculty of Medicine, University of Tsukuba	
	Chair	Tadashi Hosoya	Department of Rheumatology, Graduate School of Medical and Dental Science, Tokyo Medical and Dental University (TMDU)	
	ICW16-1	Hiroki Tabata	Department of Connective Tissue Diseases, National Hospital Organization Tokyo Medical Center, Tokyo, Japan	Clinical features of medication-related osteonecrosis of the jaw associated with denosumab in patients with rheumatic disease.
	ICW16-2	Samuel D. Good	Division of Rheumatology, Department of Medicine, David Geffen School of Medicine, University of California, Los Angeles, Los Angeles, California, USA	Antiretinal antibodies in hydroxychloroquine eye toxicity
	ICW16-3	Takehiro Nakai	Immuno-Rheumatology Center, St. Luke's International Hospital	Effect of remission, clinical remission with active serology, and glucocorticoid dosage on the pregnancy outcome of pregnant patients with systemic lupus erythematosus
	ICW16-4	Misako Higashida-konishi	Division of Rheumatology, Department of Medicine, NHO Tokyo Medical Center, Tokyo, Japan	Risk of sulfa allergy with skin rash or mucocutaneous symptoms that would require discontinuation of sulfa drugs
	ICW16-5	Eriho Yamaguchi	Department of Endocrinology and Rheumatology, Kurashiki Central Hospital	The retrospective analysis for the association of anti-SSA/Ro antibodies with adverse pregnancy outcomes in patients with systemic lupus erythematosus
ICW16-6	Saori Abe	Department of Rheumatology, Institute of Medicine, University of Tsukuba Hospital	Effects of low-dose acetylsalicylic acid in pregnancy among patients with Systemic Lupus Erythematosus	
ICW17 JAK inhibitors for RA 1 8:40-9:40 Room 10	Chair	Shuji Sumitomo	Department of General Internal Medicine, Kobe City Medical Center General Hospital	
	Chair	George Kollias	Department of Physiology, Medical School, University of Athens, Athens, Greece / Biomedical Sciences Research Center 'Alexander Fleming', Vari, Attica, Greece	
	ICW17-1	Kazusato Hara	Division of Advanced Preventive Medical Sciences, Department of Immunology and Rheumatology, Nagasaki University Graduate School of Biomedical Sciences, Nagasaki, Japan	Clinical association between bone destruction progression and interstitial lung disease in rheumatoid arthritis patients undergoing JAK inhibitor or CTLA4-Ig treatment
	ICW17-2	Tomohisa Uchida	Department of Immunology and Rheumatology, Graduate School of Biomedical Sciences, Nagasaki University, Nagasaki, Japan	Comparing the impact on renal function in rheumatoid arthritis patients using JAK inhibitors versus those utilizing TNF inhibitors
	ICW17-3	Yusuke Miyazaki	The First Department of Internal Medicine, School of Medicine, University of Occupational and Environmental Health, Japan, Kitakyushu, Japan	Switch to biological DMARDs vs. other JAK inhibitors in patients with rheumatoid arthritis and with inadequately response to JAK inhibitors: from FIRST registry
ICW17-4	Ryu Watanabe	Department of Clinical Immunology, Osaka Metropolitan University, Osaka, Japan	Factors associated with drug retention of biologics and Janus kinase inhibitors in patients with difficult-to-treat rheumatoid arthritis: the ANSWER cohort study	

April 19 (Fri)

Session ID		Name	Affiliation	Title
ICW18 Inflammatory myopathies 1 9:50-10:50 Room 10	Chair	Takahisa Gono	Department of Allergy and Rheumatology, Nippon Medical School Graduate School of Medicine	
	Chair	Latika Gupta	University of Manchester, UK / Royal Wolverhampton NHS Trust, UK	
	ICW18-1	Ho So	The Chinese University of Hong Kong	Clinical heterogeneity and prognostic factors of anti-synthetase syndrome: a multi-centered retrospective cohort study
	ICW18-2	Kenichi Miyamoto	Department of Rheumatology, Endocrinology and Nephrology, Faculty of Medicine and Graduate School of Medicine, Hokkaido University, Japan	Risk factors for rapidly progressive interstitial lung disease in dermatomyositis
	ICW18-3	Koji Suzuki	Division of Rheumatology, Keio University School of Medicine	Predictive factors for non-responsiveness to triple therapy in anti-MDA5 antibody-positive dermatomyositis-associated interstitial lung disease
	ICW18-4	Makoto Misaki	Department of Allergy and Rheumatology, Graduate School of Medicine, The University of Tokyo	Clinical characteristics of relapses in patients with idiopathic inflammatory myopathy-associated interstitial lung disease
	ICW18-5	Toshimasa Shimizu	Departments of Immunology and Rheumatology, Division of Advanced Preventive Medical Sciences, Nagasaki University Graduate School of Biomedical Sciences, Nagasaki, Japan	Prognostic Biomarkers and Radiological Features of Idiopathic Inflammatory Myopathy Associated Interstitial Lung Disease
ICW18-6	Hideaki Tsuji	Division of Rheumatology, Department of Medicine, Karolinska Institutet, Stockholm, Sweden	Relapse rate after glucocorticoid-free remission in idiopathic inflammatory myopathies with validation of the International Myositis Assessment & Clinical Studies Group (IMACS) criteria for remission and relapse using the Swedish Rheumatology Quality Register (SRQ)	
ICW19 Biomarkers 4 14:05-15:05 Room 8	Chair	Junichi Kikuta	Division of Immunology, Department of Future Medical Sciences, Graduate School of Medicine, Kobe University, Japan	
	Chair	Georg Schett	Department of Internal Medicine 3 Rheumatology and Immunology, Friedrich Alexander University Erlangen-Nürnberg, Germany	
	ICW19-1	Mitsuhiro Akiyama	Division of Rheumatology, Department of Internal Medicine, Keio University School of Medicine, Tokyo, Japan	Immune phenotypes associated with clinical phenotypes of rheumatoid arthritis.
	ICW19-2	Satoshi Takanashi	Division of Rheumatology, Department of Internal Medicine, Keio University School of Medicine, Tokyo, Japan	Profiles of serum cytokines and peripheral blood immunophenotyping of late-onset rheumatoid arthritis are distinct from those of young-onset rheumatoid arthritis.
	ICW19-3	Toshihiko Komai	Department of Allergy and Rheumatology, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan	Evaluation and prediction of difficult-to-treat rheumatoid arthritis by immunophenotyping
	ICW19-4	Jung Gon Kim	Center for Integrative Rheumatoid Transcriptomics and Dynamics, The Catholic University of Korea, Seoul, The Republic of Korea	Circulatory Age-Associated B Cell and its Clinical Significance in Patients with Rheumatoid Arthritis
ICW19-5	Satoshi Kubo	Department of Molecular Targeted Therapies, University of Occupational and Environmental Health, Japan, Kitakyushu, Japan	Immunophenotypic stratification of rheumatoid arthritis underscores the potential of precision medicine	
ICW20 Infectious diseases 15:15-16:15 Room 8	Chair	Kunihiko Umekita	Division of Respiratory, Rheumatology, Infectious Diseases and Neurology, Department of Internal Medicine, Faculty of Medicine, University of Miyazaki, Miyazaki, Japan	
	ICW20-1	Suresh Jaiswal	School of Health & Allied Sciences, Pokhara University, Gandaki, Nepal	Incidence of Rheumatoid Arthritis in HIV-Infected Patients
	ICW20-2	Sabina Gaihre	Kantipur Institute of Health Sciences, Gandaki, Nepal	Rheumatic manifestations among HIV-positive attending the ART Centers
	ICW20-3	Thilini Hemachandra	National Hospital, Kandy, Sri Lanka	Impact of the COVID 19 pandemic on management of inflammatory arthritis amongst adult outpatients - a tertiary care centre experience
	ICW20-4	Masatoshi Kimura	Division of Rheumatology, Department of Internal Medicine, University of Miyazaki Hospital, Miyazaki, Japan	Clinical characteristics of human T-cell leukemia virus type 1 (HTLV-1)-positive rheumatoid arthritis patients showing increased HTLV-1 proviral loads during antirheumatic therapies.
ICW21 Clinical study in SLE 16:25-17:25 Room 8	Chair	Michihito Kono	Department of Rheumatology, Endocrinology and Nephrology, Faculty of Medicine and Graduate School of Medicine, Hokkaido University	
	Chair	Arthur Kavanaugh	University of California, San Diego. La Jolla, California, USA	
	ICW21-1	Chihiro Imaizumi	Division of Rheumatology, Department of Internal Medicine, Faculty of Medicine, Toho University, Tokyo, Japan	The maintenance dose of glucocorticoid in the management of systemic lupus erythematosus.
	ICW21-2	Chiharu Hidekawa	Department of Stem Cell and Immune Regulation, Yokohama City University Graduate School of Medicine, Yokohama, Japan	The impact of shared decision-making on quality of life in SLE patients: Longitudinal evaluation in The TRUMP2-SLE project
	ICW21-3	Daisuke Hiraoka	Department of Hematology, Clinical Immunology and Infectious Diseases, Ehime University Graduate School of Medicine, Ehime, Japan	Antiplatelet Effects of Hydroxychloroquine in Patients with Systemic Lupus Erythematosus evaluated by Total Thrombus-formation Analysis System (T-TAS)
ICW21-4	Yuya Sumichika	Department of Rheumatology, Fukushima Medical University School of Medicine, Fukushima, Japan	Clinical features and quality of life in Japanese male patients with SLE: a cross-sectional study using LUNA registry.	
ICW22 Inflammatory myopathies 2 14:05-15:05 Room 9	Chair	Ran Nakashima	Department of Rheumatology and Clinical Immunology, Graduate School of Medicine, Kyoto University	
	ICW22-1	Maho Nakazawa	Division of Rheumatology, Center for Molecular Medicine, Department of Medicine, Karolinska Institutet, Stockholm, Sweden	Immunophenotyping profiles of peripheral B cells in anti-Jo-1 antibody positive idiopathic inflammatory myopathies
	ICW22-2	Yuki Ichimura	Department of Dermatology, Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental University, Tokyo, Japan	Type I interferon may play an essential role in murine melanoma differentiation associated gene 5 induced lung fibrosis model
	ICW22-3	Hirokazu Sasaki	Department of Rheumatology, Tokyo Medical and Dental University (TMDU), Tokyo, Japan	Pathogenicity of functionally activated PD-1+CD8+ cells and a protective role of muscular PD-L1 through IFN-gamma in myositis
	ICW22-4	Yasuhiro Nohda	Department of Rheumatology and Clinical Immunology, Graduate School of Medicine, Kyoto University, Kyoto, Japan.	The CX3CL1/CX3CR1 axis is associated with monocyte migration in anti-melanoma differentiation-associated gene 5 antibody-positive dermatomyositis(MDA5-DM)
	ICW22-5	Shinji Izuka	Department of Allergy and Rheumatology, Graduate School of Medicine, The University of Tokyo	Muscle Filtrating Monocytes as a Potential Pathogenesis in Myositis Revealed by Deconvolution Analysis

April 19 (Fri)

Session ID		Name	Affiliation	Title
ICW23 JAK inhibitors for RA 2 15:15-16:15 Room 9	Chair	Katsuya Suzuki	Division of Rheumatology, Department of Medicine, National Hospital Organization Tokyo Medical Center	
	Chair	Peter C. Taylor	Nuffield Department of Orthopaedics, Rheumatology and Musculoskeletal Sciences, University of Oxford, UK	
	ICW23-1	Kensuke Anjiki	Department of Orthopedic Surgery, Kobe University Graduate School of Medicine, Kobe, Japan	Comparison of anti-angiogenic effect of JAK inhibitor on co-culture of RA patient-derived synovial fibroblasts and human umbilical vein endothelial cells under IL-6 stimulation
	ICW23-2	Withdrawn		
	ICW23-3	Kenta Misaki	Department of Rheumatology, Kita-Harima Medical Center	Novel upadacitinib-monootherapy provides the early clinical remission, PRO improvement, synovial amelioration of ultrasound findings and the inhibition of the bone destruction with resolving the current issue of polypharmacy.
	ICW23-4	Kohei Tsujimoto	Department of Respiratory Medicine and Clinical Immunology, Osaka University, Osaka, Japan	JAK Inhibitors Sustain Effectiveness in Rheumatoid Arthritis Patients at Second Line, Comparable to Initial Treatment Levels- Insights from the ANSWER Cohort Study -
	ICW23-5	Kazuhiro Yokota	Department of Rheumatology and Applied Immunology, Faculty of Medicine, Saitama Medical University	Effect of Janus Kinase Inhibitors on TNF and IL-6-Induced Osteoclasts and RANKL-Induced Osteoclasts in Rheumatoid Arthritis
ICW24 Pathophysiology of RA 2 16:25-17:25 Room 9	Chair	Kazuyoshi Ishigaki	Laboratory for Human Immunogenetics, RIKEN Center for Integrative Medical Sciences	
	Chair	Pierre Antoine Juge	Service de Rhumatologie, Hopital Bichat Claude Bernard, Paris, France	
	ICW24-1	Ji-min Kim	Division of Rheumatology, Department of Internal Medicine, Keimyung University School of Medicine, Daegu, Korea, Rep. of	The regulation of lncRNA NR_030732 expression affects the phenotype of rheumatoid arthritis fibroblast-like synoviocytes
	ICW24-2	Hanqing Huahg	Department of Orthopaedic Surgery, Yamagata University Faculty of Medicine, Japan	Analysis of macrophage subtype alteration in the synovium of rheumatoid arthritis
	ICW24-3	Tetsuya Saito	Department of Rheumatology, Graduate School of Medical and Dental University, Tokyo Medical and Dental University	TEAD1, TEAD3 and IFN-gamma-inducible TEAD4 orchestrate the aggressive behavior of rheumatoid arthritis synovial fibroblasts
	ICW24-4	Keita Ninagawa	Gastroenterology(Rheumatology), Hokkaido P.W.F.A.C. Obihiro Kosei Hospital	JAK-STAT signaling regulates autophagy and presentation of citrullinated vimentin in synovial fibroblasts.
	ICW24-5	Rihan Da	Department of Rheumatology, Tokyo Medical and Dental University, Tokyo, Japan	Essential roles of RasGRP4 in synovial resident cells in serum transfer-induced arthritis
ICW24-6	Atsuko Tsujii	Department of Rheumatology, National Hospital Organization Osaka Minami Medical Center	Single-cell Spatial Transcriptome Analysis Identifies Disease-Specific Fibroblasts in Rheumatoid Vasculitis	
ICW25 Clinical study in Spondyloarthritis 14:05-15:05 Room 10	Chair	Masaru Kato	Department of Rheumatology, Endocrinology and Nephrology, Faculty of Medicine and Graduate School of Medicine, Hokkaido University	
	Chair	Gerhard Krönke	Charité, Universitätsmedizin Berlin, Germany	
	ICW25-1	Tsz Ho Cheng	The Chinese University of Hong Kong	Are we treating-to-target in spondyloarthritis (SpA)? A one-year analysis from the Asia Pacific League of Associations for Rheumatology (APLAR) SpA Registry
	ICW25-2	Carson Chun Yin Yip	The Chinese University of Hong Kong, Hong Kong SAR	Treat-to-target in spondyloarthritis (SpA): Are there sex-related differential responses?
	ICW25-3	Huan Meng	The Faculty of Medicine, CUHK	Vascular effects of achieving low disease activity in axial spondyloarthritis-a 2-year prospective cohort study
	ICW25-4	Justin Antony	Department of Pharmacology .JSS college of Pharmacy,JSS Academy of Higher Education & Research,Ooty,Nilgiris,Tamilnadu ,India	Tofacitinib in Spondyloarthritis - Safe and well tolerated drug -Analysis of 102 patients
ICW25-5	Tsz Ho Cheng	The Chinese University of Hong Kong	Are we treating-to-target in spondyloarthritis (SpA)? A cross sectional analysis from the Asia Pacific League of Associations for Rheumatology (APLAR) SpA Registry	
ICW26 Clinical study in RA 4 15:15-16:15 Room 10	Chair	Michihiro Ogasawara	Department of Internal Medicine and Rheumatology, Juntendo University School of Medicine	
	Chair	Jose Paulo Lorenzo	APLAR President-Elect / Makati Medical Center and the University of the Philippines, Philippine General Hospital (UP-PGH) , Philippines	
	ICW26-1	Genki Kidoguchi	Department of Clinical Immunology and Rheumatology, Hiroshima University Hospital	Risk factor of radiographic progression in seronegative rheumatoid arthritis patients: From the Three-Arrow cohort
	ICW26-2	Yurie Kanda-satoh	The First Department of Internal Medicine, University of Occupational and Environmental Health, Japan, Kitakyushu, Japan	Does Rheumatoid Factor Level Affect the Pharmacodynamics of Disease-Modifying Antirheumatic Drugs and the Efficacy of Tumour Necrosis Factor Inhibitors with Different Molecular Structures? In Vitro and Clinical Findings from the FIRST Registry
	ICW26-3	Yoshifumi Ohashi	Department of Orthopedic Surgery, Aichi Medical University	Well-controlled disease activity with drug treatment will not improve the frailty status of Rheumatoid Arthritis (RA) patients to robust state: A multicenter observational study (T-FLAG)
	ICW26-4	Sae Ochi	Department of Laboratory Medicine, The Jkei University School of Medicine	Predictors of functional and pain improvement of RA patients who achieved low disease activity within 6 months: from the FIRST Registry
	ICW26-5	Yusuke Miyazaki	The First Department of Internal Medicine, School of Medicine, University of Occupational and Environmental Health, Japan, Kitakyushu, Japan	Comparison of the efficacy and safety of bDMARDs and their effect on glucocorticoid discontinuation in polymyalgia rheumatica complicated by rheumatoid arthritis from the FIRST Registry
ICW26-6	Hiroya Tamai	Division of Rheumatology, Department of Internal Medicine, Keio University School of Medicine, Tokyo, Japan	Concentrations of Methotrexate Polyglutamates in Patients with Rheumatoid Arthritis Treated with Low or High Dose-methotrexate in Combination with Adalimumab: Results from the MIRACLE Trial	
ICW27 Osteoarthritis 1 16:25-17:25 Room 10	Chair	Masahiro Maruyama	Department of Orthopaedic Surgery, Yamagata University, Yamagata, Japan	
	Chair	Markku J. Kauppi	Faculty of Medicine, Clinicum, Helsinki University, Helsinki, Finland / Päijät-Hä me Central Hospital, Lahti, Finland	
	ICW27-1	Thomas G. Wilson	Henry Ford Health + Michigan State University Health Sciences, Detroit, USA	Discovery, characterization, and targeting of miR-126-3p in knee osteoarthritis reveal a protective role
	ICW27-2	Alaa Terukawa	Faculty of Medicine and Graduate School of Medicine, Hokkaido University	Transcriptome analysis of osteal macrophages identifies cell subset as a potential therapeutic target for postmenopausal osteoporosis
	ICW27-3	Amit Sandhu	Schroeder Arthritis Institute, University Health Network, Toronto, Ontario, Canada	Early miRNA Expression Changes Post-ACL Reconstruction: Molecular Insights and Gender-Associated Variations
	ICW27-4	Withdrawn		
ICW27-5	Pratibha Potla	Schroeder Arthritis Institute, Toronto, Canada	A Cell and Transcriptomic Atlas of the Infrapatellar Fat Pad from Patients with Knee Osteoarthritis:Identification of an Obesity-Associated Transcriptomic Signature	